

FOCP™

FIBER OPTIC CLEANING PLATFORM



Typical Applications

- Fiber optic end-face connector cleaning.
- Fiber optic splice preparation.
- Buffer gel removal.
- Dust, dusty, oils removal.

Features & Benefits

- Complete fiber optic cleaning system — no refills to buy or investment in expensive mechanisms to maintain
- Heavy duty lint-free wiping material — tough enough to remove buffer-gel; soft enough for all end-face cleaning.
- Effective wet-to-dry Combination Cleaning—for cleaner
- Convenient size — portable cleaning system easily fits on work benches

Supporting multiple fiber optic connectors



Effective wet-to-dry Combination



Dry and wet dual-use



Direct wiping of bare optical fibers

Various ways of use



Product specification



Product name	Cleaning System	Product material	Heavy duty lint-free wiping materia
Brand	OrientTEK	Scope of application	FC/SC/LC/ST/Bare fiber
Product size	76mm*76mm*76mm	Cleaning times	280 perforated wipes > 1000+ cleans

CONTACT US:

OrientTEK Optical Technology Ltd

HEAD OFFICE:

Jianshan Industry Park, Liuhe District, Nanjing, Jiangsu, China

TEL: + 86 25 8687 0518

FAX: + 86 25 8687 0518

www.orientekot.com

sales@orientekot.com

Export Control Regulations

The products and/or technical information presented in this publication may be subject to the application of the Foreign Exchange and Foreign Trade Act and other related laws and regulations in China.

In addition, the Export Administration Regulations (EAR) of the United States may be applicable.

In cases where exporting or reexporting the products and/or technical information presented in this publication, customers are requested to follow the necessary procedures at their own responsibility and cost. Please contact the Ministry of Economy, Trade and Industry of China or the Department of Commerce of the United States for details about procedures.