

TR600 All-fiber OTDR



- Applicable fiber: SM MM PON
- <1.8m extra-short event dead zone</p>
- Wavelength: Singlemode 1310/1550nm
- Up to 32/30dB High Dynamic Range
- Distance Range: 4,8,16,32,64,128,256km
- 640×480, 5.7 inch TFT-LCD (touch screen)
- One year Warranty

- USB interfaces, supporting USB stick and printer and direct cable download to PC via ActiveSync
- Memory capacity >800 traces
- Built-in lithium battery with high capacity for over 8 hours of operating life
- Display: Color LCD

Support four interface fiber types










ST FC SC LC

GUI interface

GUI interface design, operation is more simple, more intuitive reflection of the measurement results.



Color touch screen







6800mAh









PRODUCT FEATURES









Shock resistant

Water resistant

Drop resistant

Dust resistant

PRODUCT SPECIFICATION:

Model	TR600-M	TR600-S	TR600-P1	TR600-P2	TR600-MS
Wavelength(nm)	850/1300	1310/1550	1310/1490/1550	1310/1550/1625	850/1300+1310/1550
Build-in VFL	Υ			N	
Applicable fiber	SM(ITU-T G.652)				
Distance range(km)	0.1, 0.5, 1, 2, 5, 10, 20, 30, 50, 100, 200, 240				
Pulse width(ns)	5, 20, 40, 80, 160, 320, 640, 1280, 2560, 5120, 10240, 20480				
Event dead zone(dB)	1.8				
Attenuation dead zone(m)	3				
Dynamic range(dB)	21/19	32/30	32/30/28	32/30/28	21/19 + 32/30
Optical connector	FC/PC or SC/PC (APC can be selected)				
Laser class	Class 1m				
Memory of trances	10,000pieces				

CONFIGURATION LIST:

















CONTACT US:

OrienTEK Optical Technology Ltd.

HEAD OFFICE:

Huaqiao Building, Qinheng Technology Park, North Bridge road, Nanjing, Jiangsu, China

Shop Online:

www.vipfiberoptic.com

Export Control Regulations

The products and/or technical information presented in this publication may be subject to the application of the Foreign Exchange and Foreign Trade Act and other related laws and regulations in China. In addition, the Export Administration Regulations (EAR) of the United States may be applicable. In cases where exporting or reexporting the products and/or technical information presented in this publication, customers are requested to follow the necessary procedures at their own responsibility and cost. Please contact the Ministry of Economy, Trade and Industry of China or the Department of Commerce of the United States for details about procedures.